

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 08/11/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/713,683	11/14/2003	Hiroaki Yagishita	WAKA 20.745	2860	
26304	26304 7590 08/11/2006			EXAMINER	
KATTEN M	UCHIN ROSENMAN	AGUIRRECHEA, JAYDI A			
575 MADISON AVENUE NEW YORK, NY 10022-2585			ART UNIT	PAPER NUMBER	
NEW TOTAL,			2834		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application N .	Applicant(s)				
		10/713,683	YAGISHITA, HIROAKI				
	Offic Action Summary	Examiner	Art Unit				
		Jaydi A. Aguirrechea	2834				
The MAILING DATE of this communication appears on the c ver sheet with the correspondence address Peri d for Reply							
WHIC - Exter after - If NO - Failui Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. lely filed the mailing date of this communication. Of (35 U.S.C. § 133).				
Status							
2a) <u></u> 3)□	Responsive to communication(s) filed on 12 Ju This action is FINAL. 2b) This Since this application is in condition for allowar closed in accordance with the practice under E on of Claims	action is non-final.  nce except for formal matters, pro					
· · _	4)⊠ Claim(s) <u>1-3 and 6-13</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	5) Claim(s) is/are allowed.						
	6)⊠ Claim(s) <u>1-3 and 6-13</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	8) Claim(s) are subject to restriction and/or election requirement.						
Application	on Papers		•				
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
	Applicant may not request that any objection to the o						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	nder 35 U.S.C. § 119						
a)[	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  Certified copies of the priority documents  Certified copies of the priority documents  Copies of the certified copies of the priori application from the International Bureau  ee the attached detailed Office action for a list of	have been received. have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No d in this National Stage				
Attachment	(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
2) 🔛 Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
inform الحراره Paper	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	5) Notice of Informal Pa	itent Application (PTO-152)				

Application/Control Number: 10/713,683 Page 2

Art Unit: 2834

### **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments filed 6/12/06 have been fully considered but they are not persuasive.

- 2. Applicant's arguments regarding the rejection of limitations previously presented as claims 4 and 5 are not persuasive. Specifically, Wakabayashi discloses (column 2, lines 10-15) that in an element having the disclosed structure, any electrode could be selected for electrical connection with the piezoelectric reed; and, even when the oscillator is of cantilevered type (as the present invention is) and has a lead electrode on only one end, the electrical connection between the piezoelectric and the electrode can be ensured. Wakabayashi discloses that such structure improves the efficiency and reduces the cost of manufacture. Therefore, the Examiner considers the rejection of amended claim 1 to be proper and therefore maintained.
- 3. Regarding the challenging of the Official Notice, the Examiner would like to present two references supporting the examiner's position. US 6362561 and US 3796968 show driving electrodes (3, 4 and 5, 6, respectively) being parallel to each other and formed on opposite flat faces of the oscillator.

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2834

5. Claims 1-3 and 6-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishimura et al. (US 2003/0020564) in view of Wakabayashi and further in view of Kuroda (US 6362561) and/or Luscher (US 3796968).

Nishimura discloses a crystal unit (figures 8, 10 and 12) comprising:

- a crystal blank (1) provided with a pair of excitation electrodes (2, 3) and a pair of extension electrodes (33, 34) extended form the excitation electrodes; and a mounting member on which a pair of connection terminals is formed;
- a mounting member (shown in figure 8) on which a pair of connection terminals is formed (47),
- wherein said crystal blank has a first principal surface and a second principal surface, an inclined surface is formed at one end of said first principal surface, said principal surface and said second principal surface are flat-shaped and parallel to each other, and said extension electrodes are extended toward an end at which said inclined surface is formed, (figure 10 shows the extension electrode extending toward the end of the inclined surface)
- wherein a conductive material is disposed between said connection terminals and said extension electrodes (13) in such a way that said second principal surface face, said mounting member and said crystal blank is held by said mounting member at the position of the end to

Art Unit: 2834

which said extension electrodes are extended and electrically connected to said connection terminals (see figures 8 and 10); and

- wherein one of the excitation electrodes (2) is arranged on the first principal surface and the other of the excitation electrodes (3) is arranged on the second principal surface opposite to the one of the excitation electrodes arranged on the first principal surface;
- figure 10 shows both ends of the piezoelectric crystal being tapered;

However, Nishimura fails to disclose the excitation electrodes (2 and 3) being parallel to each other, one of the inclined surfaces having different size than the other, and the extension electrodes being extended toward the greater inclined surface.

Wakabayashi discloses, in Column 8 lines 41-45, a crystal unit wherein said inclined surfaces are different from each other in size at the respective ends and in Column 9 lines 49-54, Wakabayashi teaches a crystal unit where said extension electrodes are extended toward the greater inclined surface. Wakabayashi discloses the piezoelectric blank having a trapezoidal shape. Specifically, Wakabayashi discloses (column 2, lines 10-15) that in the structure of their invention any electrode could be selected for electrical connection with the piezoelectric reed; and, even when the oscillator is of cantilevered type (as the present invention discloses) and has a lead electrode on only one end, the electrical connection between the piezoelectric and the electrode can be ensured. Wakabayashi discloses that such structure improves the efficiency and reduces the cost of manufacture.

Note: The applicant is advised that is has been held by the courts that differences in dimensions do not amount to patentability where such differences do not affect the operation of

the prior art device. *In Gardner v. TEC Systems*, Inc., 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984). It is the Examiner's position that changing the dimensions of the inclined surfaces does not distinguish from that of the prior art.

Therefore, it would have been obvious at the time of the invention was made to make the piezoelectric blank having inclined surfaces, one of the inclined surfaces having different size than the other, and the extension electrodes being extended toward the greater inclined surface, as disclosed in Wakabayashi in order to improve the efficiency of the system and to reduce the cost of manufacture as explained above.

Kuroda and Luscher teach the use parallel driving electrodes (3, 4 and 5, 6 respectively) located on opposite flat surfaces of a piezoelectric blank to induce an electric field between the electrodes and/or create a vibration in the piezoelectric device in the transverse direction parallel to the electrodes, as necessitated by the specific requirements of a particular application.

Therefore, it would have been obvious at the time of the invention was made to form the electrodes on the flat surfaces parallel to each other in order to produce the desired vibration in the piezoelectric device, as necessitated by the specific requirements of the particular application.

With regards to claim 2, Nishimura discloses the conductive material 13 being a conductive adhesive (see paragraph 54).

With regards to claim 3, in figure 11 Nishimura shows the extension electrodes extending toward both sides of one end of the crystal blank.

With regards to claim 6, Nishimura discloses the crystal blank having substantially rectangular shape as a two-dimensional shape and two inclined surfaces formed at the end of the crystal blank.

With regards to claim 7, in figure 11, Nishimura discloses only one of the ends being inclined.

Page 6

With regards to claim 8, Nishimura discloses the casing having a recess and the connections being formed on the bottom face of the recess (see figure 8).

With regards to claim 9, Nishimura discloses a hermetically sealed housing (see paragraph 69).

With regards to claim 10, Nishimura discloses the use of a quartz crystal. However, it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

With regards to claims 11 and 12, Nishimura discloses substantially rectangular inclined surfaces.

With regards to claim 13, note that when the electrodes are formed on a parallel relation on opposing faces of the piezoelectric crystal, the spacing between them will be uniform, therefore, as explained above, the invention is obvious over Nishimura.

#### Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jaydi A. Aguirrechea whose telephone number is 571-272-2018. The examiner can normally be reached on M-Th 9-7.

Application/Control Number: 10/713,683

Art Unit: 2834

Page 7

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren E. Schuberg can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JAA 8/6/06

Jaydi Aguirrechea
Patent Examiner